RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number: _10/812,797_

Source: _1FWO_

Date Processed by STIC: _2/11/05_

ENTERED

IFWO

RAW SEQUENCE LISTING   DATE: 02/11/2005
PATENT APPLICATION: US/10/812,797   TIME: 14:19:33

Input Set : **A:\PTO.FG.TXT**
Output Set: **N:\CRF4\02112005\J812797.raw**

```
   3 <110> APPLICANT: Liew, Choong-Chin
   5 <120> TITLE OF INVENTION: Method for the Detection of Cancer Related Gene Transcripts
in Blood
   7 <130> FILE REFERENCE: 4231/2055M
   9 <140> CURRENT APPLICATION NUMBER: US 10/812,797
  10 <141> CURRENT FILING DATE: 2004-03-30
  12 <150> PRIOR APPLICATION NUMBER: 10/802,875
W--> 13 <151> PRIOR FILING DATE: 2004-3-12
  15 <150> PRIOR APPLICATION NUMBER: US 10/601,518
  16 <151> PRIOR FILING DATE: 2003-06-20
  18 <150> PRIOR APPLICATION NUMBER: US 10/268,730
  19 <151> PRIOR FILING DATE: 2002-10-09
  21 <150> PRIOR APPLICATION NUMBER: US 09/477,148
  22 <151> PRIOR FILING DATE: 2000-01-04
  24 <150> PRIOR APPLICATION NUMBER: US 60/115,125
  25 <151> PRIOR FILING DATE: 1999-01-06
  27 <160> NUMBER OF SEQ ID NOS: 112
  29 <170> SOFTWARE: PatentIn version 3.2
  31 <210> SEQ ID NO: 1
  32 <211> LENGTH: 110
  33 <212> TYPE: DNA
  34 <213> ORGANISM: Human
  36 <400> SEQUENCE: 1
  37 acacaacgta acaataacat atttagccaa tgtagtagac tgctatataa tacattagag      60
  39 tgtcaattca ttccgtttac agccccattg ggtgtcaaat ttttttgtt             110
  42 <210> SEQ ID NO: 2
  43 <211> LENGTH: 530
  44 <212> TYPE: DNA
  45 <213> ORGANISM: Human
  48 <220> FEATURE:
  49 <221> NAME/KEY: misc_feature
  50 <222> LOCATION: (16)..(16)
  51 <223> OTHER INFORMATION: n is a, c, g, or t
  53 <220> FEATURE:
  54 <221> NAME/KEY: misc_feature
  55 <222> LOCATION: (19)..(19)
  56 <223> OTHER INFORMATION: n is a, c, g, or t
  58 <220> FEATURE:
  59 <221> NAME/KEY: misc_feature
  60 <222> LOCATION: (25)..(25)
  61 <223> OTHER INFORMATION: n is a, c, g, or t
  63 <220> FEATURE:
  64 <221> NAME/KEY: misc_feature
  65 <222> LOCATION: (38)..(38)
```

pp 6-7

RAW SEQUENCE LISTING   DATE: 02/11/2005
PATENT APPLICATION: US/10/812,797   TIME: 14:19:33

Input Set : A:\PTO.FG.TXT
Output Set: N:\CRF4\02112005\J812797.raw

```
66 <223> OTHER INFORMATION: n is a, c, g, or t
68 <220> FEATURE:
69 <221> NAME/KEY: misc_feature
70 <222> LOCATION: (40)..(40)
71 <223> OTHER INFORMATION: n is a, c, g, or t
73 <220> FEATURE:
74 <221> NAME/KEY: misc_feature
75 <222> LOCATION: (42)..(42)
76 <223> OTHER INFORMATION: n is a, c, g, or t
78 <220> FEATURE:
79 <221> NAME/KEY: misc_feature
80 <222> LOCATION: (44)..(44)
81 <223> OTHER INFORMATION: n is a, c, g, or t
83 <220> FEATURE:
84 <221> NAME/KEY: misc_feature
85 <222> LOCATION: (64)..(66)
86 <223> OTHER INFORMATION: n is a, c, g, or t
88 <220> FEATURE:
89 <221> NAME/KEY: misc_feature
90 <222> LOCATION: (70)..(71)
91 <223> OTHER INFORMATION: n is a, c, g, or t
93 <220> FEATURE:
94 <221> NAME/KEY: misc_feature
95 <222> LOCATION: (81)..(81)
96 <223> OTHER INFORMATION: n is a, c, g, or t
98 <220> FEATURE:
99 <221> NAME/KEY: misc_feature
100 <222> LOCATION: (86)..(86)
101 <223> OTHER INFORMATION: n is a, c, g, or t
103 <220> FEATURE:
104 <221> NAME/KEY: misc_feature
105 <222> LOCATION: (89)..(89)
106 <223> OTHER INFORMATION: n is a, c, g, or t
108 <220> FEATURE:
109 <221> NAME/KEY: misc_feature
110 <222> LOCATION: (117)..(117)
111 <223> OTHER INFORMATION: n is a, c, g, or t
113 <220> FEATURE:
114 <221> NAME/KEY: misc_feature
115 <222> LOCATION: (121)..(121)
116 <223> OTHER INFORMATION: n is a, c, g, or t
118 <220> FEATURE:
119 <221> NAME/KEY: misc_feature
120 <222> LOCATION: (123)..(123)
121 <223> OTHER INFORMATION: n is a, c, g, or t
123 <220> FEATURE:
124 <221> NAME/KEY: misc_feature
125 <222> LOCATION: (135)..(135)
126 <223> OTHER INFORMATION: n is a, c, g, or t
```

RAW SEQUENCE LISTING   DATE: 02/11/2005
PATENT APPLICATION: US/10/812,797   TIME: 14:19:33

Input Set : **A:\PTO.FG.TXT**
Output Set: **N:\CRF4\02112005\J812797.raw**

```
128 <220> FEATURE:
129 <221> NAME/KEY: misc_feature
130 <222> LOCATION: (143)..(143)
131 <223> OTHER INFORMATION: n is a, c, g, or t
133 <220> FEATURE:
134 <221> NAME/KEY: misc_feature
135 <222> LOCATION: (177)..(177)
136 <223> OTHER INFORMATION: n is a, c, g, or t
138 <220> FEATURE:
139 <221> NAME/KEY: misc_feature
140 <222> LOCATION: (179)..(179)
141 <223> OTHER INFORMATION: n is a, c, g, or t
143 <220> FEATURE:
144 <221> NAME/KEY: misc_feature
145 <222> LOCATION: (181)..(181)
146 <223> OTHER INFORMATION: n is a, c, g, or t
148 <220> FEATURE:
149 <221> NAME/KEY: misc_feature
150 <222> LOCATION: (193)..(194)
151 <223> OTHER INFORMATION: n is a, c, g, or t
153 <220> FEATURE:
154 <221> NAME/KEY: misc_feature
155 <222> LOCATION: (209)..(210)
156 <223> OTHER INFORMATION: n is a, c, g, or t
158 <220> FEATURE:
159 <221> NAME/KEY: misc_feature
160 <222> LOCATION: (215)..(215)
161 <223> OTHER INFORMATION: n is a, c, g, or t
163 <220> FEATURE:
164 <221> NAME/KEY: misc_feature
165 <222> LOCATION: (217)..(217)
166 <223> OTHER INFORMATION: n is a, c, g, or t
168 <220> FEATURE:
169 <221> NAME/KEY: misc_feature
170 <222> LOCATION: (221)..(221)
171 <223> OTHER INFORMATION: n is a, c, g, or t
173 <220> FEATURE:
174 <221> NAME/KEY: misc_feature
175 <222> LOCATION: (228)..(228)
176 <223> OTHER INFORMATION: n is a, c, g, or t
178 <220> FEATURE:
179 <221> NAME/KEY: misc_feature
180 <222> LOCATION: (233)..(233)
181 <223> OTHER INFORMATION: n is a, c, g, or t
183 <220> FEATURE:
184 <221> NAME/KEY: misc_feature
185 <222> LOCATION: (236)..(236)
186 <223> OTHER INFORMATION: n is a, c, g, or t
188 <220> FEATURE:
```

RAW SEQUENCE LISTING   DATE: 02/11/2005
PATENT APPLICATION: US/10/812,797   TIME: 14:19:33

Input Set : **A:\PTO.FG.TXT**
Output Set: **N:\CRF4\02112005\J812797.raw**

```
189 <221> NAME/KEY: misc_feature
190 <222> LOCATION: (243)..(243)
191 <223> OTHER INFORMATION: n is a, c, g, or t
193 <220> FEATURE:
194 <221> NAME/KEY: misc_feature
195 <222> LOCATION: (251)..(254)
196 <223> OTHER INFORMATION: n is a, c, g, or t
198 <220> FEATURE:
199 <221> NAME/KEY: misc_feature
200 <222> LOCATION: (270)..(270)
201 <223> OTHER INFORMATION: n is a, c, g, or t
203 <220> FEATURE:
204 <221> NAME/KEY: misc_feature
205 <222> LOCATION: (272)..(272)
206 <223> OTHER INFORMATION: n is a, c, g, or t
208 <220> FEATURE:
209 <221> NAME/KEY: misc_feature
210 <222> LOCATION: (274)..(275)
211 <223> OTHER INFORMATION: n is a, c, g, or t
213 <220> FEATURE:
214 <221> NAME/KEY: misc_feature
215 <222> LOCATION: (283)..(283)
216 <223> OTHER INFORMATION: n is a, c, g, or t
218 <220> FEATURE:
219 <221> NAME/KEY: misc_feature
220 <222> LOCATION: (292)..(293)
221 <223> OTHER INFORMATION: n is a, c, g, or t
223 <220> FEATURE:
224 <221> NAME/KEY: misc_feature
225 <222> LOCATION: (299)..(299)
226 <223> OTHER INFORMATION: n is a, c, g, or t
228 <220> FEATURE:
229 <221> NAME/KEY: misc_feature
230 <222> LOCATION: (303)..(303)
231 <223> OTHER INFORMATION: n is a, c, g, or t
233 <220> FEATURE:
234 <221> NAME/KEY: misc_feature
235 <222> LOCATION: (307)..(307)
236 <223> OTHER INFORMATION: n is a, c, g, or t
238 <220> FEATURE:
239 <221> NAME/KEY: misc_feature
240 <222> LOCATION: (312)..(312)
241 <223> OTHER INFORMATION: n is a, c, g, or t
243 <220> FEATURE:
244 <221> NAME/KEY: misc_feature
245 <222> LOCATION: (319)..(319)
246 <223> OTHER INFORMATION: n is a, c, g, or t
248 <220> FEATURE:
249 <221> NAME/KEY: misc_feature
```

```
250 <222> LOCATION: (324)..(325)
251 <223> OTHER INFORMATION: n is a, c, g, or t
253 <220> FEATURE:
254 <221> NAME/KEY: misc_feature
255 <222> LOCATION: (328)..(329)
256 <223> OTHER INFORMATION: n is a, c, g, or t
258 <220> FEATURE:
259 <221> NAME/KEY: misc_feature
260 <222> LOCATION: (342)..(342)
261 <223> OTHER INFORMATION: n is a, c, g, or t
263 <220> FEATURE:
264 <221> NAME/KEY: misc_feature
265 <222> LOCATION: (345)..(345)
266 <223> OTHER INFORMATION: n is a, c, g, or t
268 <220> FEATURE:
269 <221> NAME/KEY: misc_feature
270 <222> LOCATION: (366)..(366)
271 <223> OTHER INFORMATION: n is a, c, g, or t
273 <220> FEATURE:
274 <221> NAME/KEY: misc_feature
275 <222> LOCATION: (377)..(377)
276 <223> OTHER INFORMATION: n is a, c, g, or t
278 <220> FEATURE:
279 <221> NAME/KEY: misc_feature
280 <222> LOCATION: (382)..(382)
281 <223> OTHER INFORMATION: n is a, c, g, or t
283 <220> FEATURE:
284 <221> NAME/KEY: misc_feature
285 <222> LOCATION: (391)..(391)
286 <223> OTHER INFORMATION: n is a, c, g, or t
288 <220> FEATURE:
289 <221> NAME/KEY: misc_feature
290 <222> LOCATION: (395)..(395)
291 <223> OTHER INFORMATION: n is a, c, g, or t
293 <220> FEATURE:
294 <221> NAME/KEY: misc_feature
295 <222> LOCATION: (400)..(400)
296 <223> OTHER INFORMATION: n is a, c, g, or t
298 <220> FEATURE:
299 <221> NAME/KEY: misc_feature
300 <222> LOCATION: (412)..(413)
301 <223> OTHER INFORMATION: n is a, c, g, or t
303 <220> FEATURE:
304 <221> NAME/KEY: misc_feature
305 <222> LOCATION: (422)..(422)
306 <223> OTHER INFORMATION: n is a, c, g, or t
308 <220> FEATURE:
309 <221> NAME/KEY: misc_feature
310 <222> LOCATION: (424)..(424)
```

RAW SEQUENCE LISTING ERROR SUMMARY   DATE: 02/11/2005
PATENT APPLICATION: US/10/812,797   TIME: 14:19:34

    Input Set : **A:\PTO.FG.TXT**
    Output Set: **N:\CRF4\02112005\J812797.raw**

<u>Please Note:</u>
Use of n and/or Xaa have been detected in the Sequence Listing. Please review the
Sequence Listing to ensure that a corresponding explanation is presented in the <220>
to <223> fields of each sequence which presents at least one n or Xaa.

```
Seq#:2;  N Pos. 16,19,25,38,40,42,44,64,65,66,70,71,81,86,89,117,121,123,135
Seq#:2;  N Pos. 143,177,179,181,193,194,209,210,215,217,221,228,233,236,243
Seq#:2;  N Pos. 251,252,253,254,270,272,274,275,283,292,293,299,303,307,312
Seq#:2;  N Pos. 319,324,325,328,329,342,345,366,377,382,391,395,400,412,413
Seq#:2;  N Pos. 422,424,426,433,439,442,452,460,463,471,495,500,504,516
Seq#:5;  N Pos. 13,14,16,20,21,25,26,27,28,42,52,55,57,59,63,65,68,72,74,77
Seq#:5;  N Pos. 91,102,117,127,128,169,172,192,203,243,244,248,249,253,283
Seq#:5;  N Pos. 288,299,318,327,334,348,359,360
Seq#:6;  N Pos. 475,556,559,585,606,644,671,693,695,714,742,744,756,765,768
Seq#:6;  N Pos. 808,815,823,830,837
Seq#:10; N Pos. 433,600,615,626,645,661
Seq#:14; N Pos. 6,15,37,38,47,56,57,94,127,155,157
Seq#:16; N Pos. 5,15,39,47,52,69,154,207,217
Seq#:17; N Pos. 18,19,27,47,66,76,82,108,133,162,210,260,276
Seq#:19; N Pos. 17,40,59,76,107,165,189,216,221,230
Seq#:21; N Pos. 17,23,28,36,41,44,53,59,62,67,70,71,74,76,79,83,84,86,97
Seq#:22; N Pos. 2,17,37,52,53,56,77,85,89,96
Seq#:23; N Pos. 17,19,27,28,29,37,38,46,49,65,72
Seq#:24; N Pos. 5,13,71,88,91,109,157,177,199,207,211
Seq#:26; N Pos. 299,333,353,410,411,460,474,479
Seq#:27; N Pos. 348,422,435,476,490
Seq#:28; N Pos. 18,47,59,74,138,174,176,211
Seq#:29; N Pos. 1,2,12,29,34
Seq#:30; N Pos. 3,4,5,6,8,13,15,20,27,32,33,40,49,50,57,63,67,69,76,78,87
Seq#:30; N Pos. 89
Seq#:31; N Pos. 12,26,46,49,55,60,63,69,70,73,79,92,96
Seq#:32; N Pos. 2,7,27,34,57,63,64,67,73,75,76,77,78,80,90,96,97,98
Seq#:33; N Pos. 5,12,28,32,38,44,57,68,76,82,92
Seq#:34; N Pos. 3,21,27,28,38,47,50,53,61,73,78,83,85,97
Seq#:35; N Pos. 21,22,28,32,65,67,68,70,77,83,92
Seq#:36; N Pos. 4,8,29,43,44,46,57,59,84,98,115,117,118
Seq#:37; N Pos. 7,10,53,61,65,66,72,74,75,89,94,100,107,126,141
Seq#:38; N Pos. 2,10,61,63,72,79
Seq#:39; N Pos. 5,7,8,10,15,16,20,24,71
Seq#:40; N Pos. 80,91
Seq#:42; N Pos. 14,31,36,63,73,93,98
Seq#:44; N Pos. 2,11,27,28,34,38,39,41,49,50,61,62,67,68,76,79,80,85,89,93
Seq#:45; N Pos. 8,24,33,34,47,48,58,63,68,71,73,77,88,95,96
Seq#:46; N Pos. 74
Seq#:47; N Pos. 7,8,17,23,33,42,47,48,52,55,60,62,66,70,71,74,84,86,87,96
Seq#:47; N Pos. 99,100
Seq#:48; N Pos. 5,6,33,35,36,42,46,48,55,59,69,81,87,91,94,97
Seq#:49; N Pos. 20,38,164,178,201,211,274,305,340,346,386,387,405,433,446
Seq#:50; N Pos. 5,6,13,18,22,39,45,48,54,65,70,72,80,83,90,94,96,98,102,104
```

RAW SEQUENCE LISTING ERROR SUMMARY   DATE: 02/11/2005
PATENT APPLICATION: US/10/812,797   TIME: 14:19:34

Input Set : A:\PTO.FG.TXT
Output Set: N:\CRF4\02112005\J812797.raw

```
Seq#:50; N Pos. 113,115,117,121,123,125,128,142,144,160,174,175,180,181,186
Seq#:50; N Pos. 192,198,205,215,223,224,233,234,238,243,253,257,268,280,291
Seq#:50; N Pos. 296,300,305,308,311,319,322,326,328,334,335,338,339,347,352
Seq#:50; N Pos. 358,361,367,382,389,395,410,413,414,418,425,436,443
Seq#:51; N Pos. 19,59,87,119,203,215,274,296,309,353,425,426,427,431,451
Seq#:51; N Pos. 470,472,478
Seq#:52; N Pos. 13,14,17,20,22,27,29,31,36,43,46,58,59,74,78,81,85,87,88,90
```

```
L:13 M:256 W: Invalid Numeric Header Field, Wrong Prior FILING DATE:YYYY-MM-DD
L:374 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
M:341 Repeated in SeqNo=2
L:598 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
M:341 Repeated in SeqNo=5
L:734 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:420
M:341 Repeated in SeqNo=6
L:843 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:420
M:341 Repeated in SeqNo=10
L:951 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0
M:341 Repeated in SeqNo=14
L:1033 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:0
M:341 Repeated in SeqNo=16
L:1109 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0
M:341 Repeated in SeqNo=17
L:1200 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0
M:341 Repeated in SeqNo=19
L:1318 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:0
M:341 Repeated in SeqNo=21
L:1375 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0
M:341 Repeated in SeqNo=22
L:1427 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:0
M:341 Repeated in SeqNo=23
L:1494 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0
M:341 Repeated in SeqNo=24
L:1572 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:240
M:341 Repeated in SeqNo=26
L:1625 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:300
M:341 Repeated in SeqNo=27
L:1681 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0
M:341 Repeated in SeqNo=28
L:1717 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29 after pos.:0
L:1814 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0
M:341 Repeated in SeqNo=30
L:1886 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:0
M:341 Repeated in SeqNo=31
L:1958 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:32 after pos.:0
M:341 Repeated in SeqNo=32
L:2025 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33 after pos.:0
M:341 Repeated in SeqNo=33
L:2102 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34 after pos.:0
M:341 Repeated in SeqNo=34
L:2159 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:35 after pos.:0
M:341 Repeated in SeqNo=35
L:2226 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:36 after pos.:0
M:341 Repeated in SeqNo=36
L:2305 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:37 after pos.:0
M:341 Repeated in SeqNo=37
```

VERIFICATION SUMMARY   DATE: 02/11/2005
PATENT APPLICATION: **US/10/812,797**   TIME: 14:19:34

Input Set : **A:\PTO.FG.TXT**
Output Set: **N:\CRF4\02112005\J812797.raw**

L:2349 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:38 after pos.:0
M:341 Repeated in SeqNo=38
L:2396 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:39 after pos.:0